Not It from Bit, But It from Qubits: The Quantum Foundations of Reality and Recursive Computation

Douglas C. Youvan

doug@youvan.com

February 27, 2025

For decades, the *It from Bit* paradigm proposed by John Wheeler has suggested that reality emerges from classical binary information—0s and 1s that encode the fabric of the universe. However, the rise of quantum mechanics has revealed a deeper structure where information is not stored in classical bits but in qubits, quantum units that exist in complex superpositions. This shift challenges traditional assumptions about the computational basis of reality, suggesting that the universe operates on recursive quantum functions rather than static binary logic. In this paper, we introduce the *It from Qubit* paradigm, proposing that reality emerges from iterative fractal-like computations in the complex plane, akin to the Mandelbrot set. We explore how recursive quantum computation underlies spacetime, matter, and consciousness, demonstrating that fundamental physics exhibits self-similarity, nonlocality, and fractal recursion. We discuss experimental approaches to implement Mandelbrot-like quantum circuits, test fractal recursion in physical systems, and investigate whether quantum entanglement structures spacetime as a fractal computation. By shifting from classical bits to recursive qubit dynamics, we propose a new foundational framework for physics, quantum computing, and consciousness research.

Keywords: quantum information, qubits, recursive computation, fractal physics, Mandelbrot set, quantum mechanics, spacetime emergence, quantum entanglement, complex numbers, wavefunction collapse, holography, neural networks, self-similarity, nonlocality, quantum circuits, consciousness, path integrals, renormalization, quantum computing, recursive quantum functions, It from Qubit, fractal recursion, observer effect. 39 pages.

Abstract

The traditional *It from Bit* paradigm, introduced by John Wheeler, suggests that reality is fundamentally composed of classical bits—binary units of information that give rise to physical existence. In this framework, the fabric of the universe is thought to be built upon discrete 0s and 1s, with physical laws emerging as higher-level patterns in a fundamentally digital reality. Wheeler's hypothesis aligns with classical information theory, where computation and observation are modeled as operations on finite, deterministic states.

However, developments in quantum mechanics challenge the sufficiency of this classical approach. Quantum systems do not operate on discrete binary states but instead on qubits, which possess both real and imaginary components and exist in superposition before measurement. Unlike classical bits, qubits encode complex-valued information, inherently allowing for entanglement, nonlocal correlations, and probabilistic outcomes that cannot be described by a strictly binary model of information. The mathematical formalism of quantum mechanics, including the Schrödinger equation, quantum fields, and Feynman path integrals, suggests that reality itself may be fundamentally complex-valued, rather than merely an emergent feature of classical information processing.

We propose an alternative framework: *It from Qubit*. In this model, reality is not constructed from classical bits but from a recursive computation on complex-valued quantum information. This shift implies that the fabric of reality is not fundamentally digital, but quantum-mechanical at its core, and that the principles governing physical laws emerge from the dynamics of qubits undergoing recursive iterations rather than from classical computation. The Mandelbrot set, a self-similar fractal arising from the recursive iteration of a simple complex function, provides a conceptual analogy for how reality itself might be structured: as a self-organizing, recursive quantum computation evolving over time.

This paper explores the consequences of *It from Qubit* across four key domains: (1) spacetime, where quantum entanglement and nonlocal correlations suggest an underlying fractal computational structure; (2) matter, where particle interactions and wavefunction evolution may be governed by iterative processes on qubits; (3) fractality, where emergent self-similar structures in physics hint at a deeper recursive nature of reality; and (4) consciousness, where the process of

observation and wavefunction collapse may itself be a manifestation of recursive quantum information processing.

By reinterpreting Wheeler's *It from Bit* paradigm in the light of quantum mechanics, we argue that complex-valued computation—rather than binary logic—must be considered the fundamental basis of physical reality. This perspective suggests new directions for both theoretical physics and experimental research, particularly in the areas of quantum computation, nonlinear optics, and holographic spacetime models. Finally, we propose experimental methods to test whether recursive fractal structures, such as those found in the Mandelbrot set, can be physically realized within quantum systems, providing a tangible link between quantum information processing and the emergence of the physical universe.

1. Introduction

The nature of reality has long been debated through the lenses of physics, mathematics, and philosophy. With the advent of information theory and digital computation, John Wheeler famously proposed the concept of *It from Bit*—the idea that reality is ultimately constructed from discrete units of information, analogous to classical bits in computation. In this view, the fundamental building blocks of existence are binary choices (0s and 1s), and physical laws emerge from operations on these fundamental bits.

However, while this framework is compelling in its simplicity, it does not fully account for the nature of quantum mechanics, which governs the smallest scales of reality. Unlike classical bits, which exist in definite states of 0 or 1, quantum bits (qubits) exist in superpositions of both states, incorporating complex numbers as intrinsic components of their representation. The probabilistic nature of quantum mechanics, along with its reliance on nonlocal entanglement and wavefunction evolution, suggests that reality is not simply digital but instead follows a complex-valued computational structure.

In this paper, we argue that the foundational structure of reality is not best described by *It from Bit* but rather by It from Qubit. We propose that the fundamental processes underlying reality are quantum in nature and involve

recursive iterations on complex-valued quantum states, much like the feedback mechanisms that generate fractal structures such as the Mandelbrot set. This shift in perspective has far-reaching implications for our understanding of spacetime, matter, and even consciousness.

1.1. Revisiting Wheeler's "It from Bit"

John Wheeler's *It from Bit* hypothesis posits that information is the most fundamental entity in the universe, with reality emerging from discrete, yes-or-no binary decisions. Inspired by classical information theory and digital physics, this viewpoint suggests that everything—from quantum mechanics to general relativity—can ultimately be understood as an emergent property of an underlying digital code.

This perspective aligns well with classical computing, where data is stored and processed using bits that encode either 0 or 1. In the *It from Bit* paradigm, physical laws would arise from logical operations on these fundamental bits, forming a computational substrate upon which reality is built. Wheeler suggested that observation plays a crucial role in determining physical outcomes, meaning that measurements "write" information into reality in a way that aligns with binary decision-making.

However, as powerful as this idea is, it is rooted in a classical worldview. Modern physics—especially quantum mechanics—operates on principles that transcend classical bits. The state of a quantum system is not a discrete 0 or 1 but rather a superposition of both states, represented in the complex plane. This challenges the notion that reality emerges from classical information processing and instead suggests that the universe is fundamentally quantum computational in nature.

1.2. Why "It from Bit" Fails

Although classical computation has been a highly successful model in various fields of physics, it fails to capture key features of quantum mechanics. The inability of classical bits to encode fundamental quantum phenomena is a major

shortcoming of Wheeler's *It from Bit* paradigm. There are three principal reasons why a purely classical-information-based view of reality is insufficient:

1. Classical bits cannot encode superposition.
    - In quantum mechanics, a particle does not exist in a single definite state but rather in a superposition of possible states, which is represented mathematically as a complex-valued probability amplitude.
    - A classical bit, restricted to 0 or 1, cannot store superposed quantum information.
2. Classical bits cannot encode entanglement.
    - Quantum systems can be entangled, meaning the state of one particle is intrinsically linked to the state of another, even across vast distances.
    - There is no classical analog to quantum entanglement because classical bits are independent objects, whereas qubits are inherently correlated.
3. Classical bits cannot encode nonlocality.
    - In classical physics, information is localized and obeys the constraints of relativity. In contrast, quantum systems exhibit nonlocal correlations, meaning that changing one part of an entangled system instantaneously affects another, regardless of distance.
    - The holographic principle, which suggests that information about a volume of space can be encoded on its boundary, also implies that reality is stored in a way that classical bits cannot fully describe.

Moreover, measurement in quantum mechanics collapses a complex-valued wavefunction into a real-valued observable, suggesting that what we perceive as physical reality is merely a projection of a deeper, complex-valued structure. If reality were fundamentally digital in the classical sense, then quantum mechanics would require an additional, ad hoc mechanism to explain the existence of

imaginary components. Instead, the simpler explanation is that reality is natively complex-valued, not forced into classical 0s and 1s.

Many physical systems further suggest that a more intricate, recursive structure underlies reality, rather than a simple binary substrate:

- Fractals and self-similarity in nature (e.g., tree branching, neuron structures, river networks) hint at an iterative, feedback-driven computational process.
- Quantum wavefunctions evolve in ways that resemble fractal generation, implying an underlying recursive structure.
- Holography in physics, such as in AdS/CFT correspondence, suggests a higher-dimensional encoding of information, which is difficult to represent in a purely binary system.

Taken together, these observations suggest that a classical digital approach cannot fully explain reality, and a new paradigm is needed.

1.3. The Proposal: "It from Qubit"

If classical bits fail to explain fundamental physics, we must seek a new foundation—one that acknowledges the complex and recursive nature of quantum information. We propose replacing *It from Bit* with It from Qubit, a framework in which the universe is not composed of classical information bits but rather of qubits—fundamental units of quantum information that inherently store both real and imaginary components.

In this model:

- Reality is not constructed from discrete classical information, but from recursive quantum computation.
- The Mandelbrot set and fractal geometry provide a conceptual analogy for this recursion, suggesting that reality evolves through iterative feedback mechanisms.

- Spacetime and matter emerge as emergent phenomena from the interactions of qubits, rather than from predefined deterministic rules acting on classical bits.
- Quantum mechanics is fundamental, not emergent, meaning that the universe's computational structure must be complex-valued at its foundation.

Just as the Mandelbrot set emerges from a simple recursive equation in the complex plane, we hypothesize that the universe itself may be generated by an iterative quantum computation acting on qubits. This perspective aligns with:

- The fractal-like nature of physical phenomena, from cosmic structures to particle physics.
- The recursive feedback loops seen in nonlinear quantum dynamics.
- The holographic encoding of information, which implies that the universe is stored as a self-similar, multidimensional pattern of quantum information.

By shifting from *It from Bit* to *It from Qubit*, we move from a static, classical-information model to a dynamic, recursive quantum model—one that better reflects the complexities of quantum physics, fractality, and emergent reality.

In the following sections, we will explore how this framework applies to spacetime, matter, self-similarity, and consciousness, and propose experimental tests to determine whether *It from Qubit* provides a more fundamental description of reality than its classical counterpart.

2. The Role of Complex Numbers in Reality

Mathematics has long served as the language of physics, allowing us to describe and predict the behavior of the universe with extraordinary precision. One of the most profound mathematical structures underlying modern physics is the complex number system, which consists of numbers of the form a+bi, where i is the imaginary unit (i^2 = -1). While classical physics has historically relied on real numbers to describe motion, forces, and energy, complex numbers are fundamental in quantum mechanics, electromagnetism, and relativity. The

presence of complex numbers in physics suggests that reality itself might be inherently complex-valued, rather than merely a real-number projection.

However, our direct experience of the world is real-valued—we measure real quantities such as position, momentum, and energy. This discrepancy raises a fundamental question: Does measurement obscure a deeper, complex-valued reality? If the universe is fundamentally governed by complex numbers, then our perception of reality might be akin to viewing a three-dimensional object as a two-dimensional shadow. This section explores the fundamental role of complex numbers in physical laws and examines whether reality is fundamentally complex-valued, with measurement merely collapsing it into a lower-dimensional, real-number representation.

2.1. Why Complex Numbers Are Fundamental

Although classical physics has traditionally been formulated using real numbers, many of the most fundamental equations in modern physics require complex numbers to function correctly. These include:

1. Quantum Mechanics: The Schrödinger Equation

- The wavefunction $\psi(x,t)$, which describes the state of a quantum system, is inherently **complex-valued**. It evolves according to the Schrödinger equation:

$$i\hbar\frac{\partial\psi}{\partial t} = \hat{H}\psi$$

where $\hat{H}$ is the Hamiltonian (energy operator). The presence of i is not just a mathematical convenience—it is required for quantum mechanics to function.

2. Electromagnetism: Maxwell's Equations
    - The equations governing electric and magnetic fields are often rewritten in terms of complex vectors and phasors. The use of complex numbers simplifies the description of wave propagation, allowing solutions that include both amplitude and phase information.

3. Wave Interference and Holography
    - In optics and quantum mechanics, interference patterns arise due to the addition of complex-valued wavefunctions. These patterns are key to understanding diffraction, superposition, and quantum entanglement.
    - Holography directly encodes phase information using complex numbers, demonstrating that real-number representations lose critical information.
4. Relativity and Spinors
    - In Einstein's theory of special relativity, spacetime transformations can be expressed using complex numbers and hyperbolic functions.
    - In quantum field theory, spinors, which describe particles with intrinsic angular momentum (such as electrons), are inherently complex-valued objects.
5. Quantum Fields and Path Integrals

- Richard Feynman's **path integral formulation** of quantum mechanics involves **summing over all possible paths**, each assigned a **complex-valued probability amplitude**:

$$Z = \int e^{iS/\hbar} \mathcal{D}x$$

where S is the action. The exponent contains i, which is necessary for computing transition probabilities in quantum systems.

These examples illustrate that complex numbers are not just a mathematical convenience—they are essential to the very fabric of physical laws. The fact that fundamental equations require complex numbers suggests that the underlying nature of reality might be intrinsically complex-valued, even if our direct experience of it is not.

2.2. The Collapse of Complex Reality into Real Observables

Although quantum mechanics describes reality in terms of complex wavefunctions, we never directly observe these wavefunctions. Instead, measurement collapses the wavefunction into a real-valued observable such as position, momentum, or energy. This raises an important question: Is the world fundamentally complex-valued, but our perception of it limited to real-valued projections?

Measurement as a Projection from a Higher-Dimensional Space

One possible interpretation of this phenomenon is that measurement acts as a projection from a higher-dimensional complex space into a lower-dimensional real space. This idea can be visualized as follows:

- Imagine a 3D object casting a 2D shadow—the shadow contains some information about the object, but it lacks depth.
- Similarly, our real-valued measurements may be lower-dimensional "shadows" of a deeper, complex-valued reality.

This analogy aligns with interpretations of quantum mechanics that suggest that the wavefunction is more fundamental than physical measurements. If true, then reality may not be inherently real-valued, but rather, our observations are constrained by the way we interact with the system.

Does Measurement Hide Part of Reality?

- In classical mechanics, we assume that a system has definite properties at all times, whether we measure them or not.
- In quantum mechanics, however, measurement changes the system, and we can only predict probabilities.
- If the universe is fundamentally complex-valued, then measurement might destroy or obscure some information, just as collapsing a wavefunction removes superposition states.

One key question arises from this: Could there be physical processes that preserve access to the full complex reality, rather than collapsing it into real

numbers? If so, this would provide a deeper understanding of quantum mechanics and possibly explain why reality appears fractal-like at various scales.

Implications for "It from Qubit"

If reality is intrinsically complex-valued, then:

1. The classical *It from Bit* paradigm is insufficient because it assumes that information is purely binary and real-valued.
2. A deeper computational structure must exist—one that operates on qubits, not bits, and preserves both real and imaginary components.
3. The iterative nature of quantum computation, much like the recursive function in the Mandelbrot set, might reveal self-similar structures hidden within quantum processes.

By reconsidering reality as a fractal-like computation in the complex plane, we may be able to construct a more fundamental framework—one where spacetime, particles, and even consciousness emerge from recursive complex-number dynamics.

This raises an intriguing possibility: Are the patterns we observe in nature, such as fractals and quantum wavefunctions, merely glimpses of a deeper reality that exists beyond our ability to measure? If so, experimental efforts should be directed toward uncovering ways to access and manipulate the full complex structure of the universe.

In the following sections, we will explore how recursive complex-number computation may explain the emergence of spacetime, matter, self-similarity, and consciousness, leading to a deeper understanding of reality beyond the limitations of classical physics.

3. Recursive Computation and the Mandelbrot Set as a Model for Reality

The Mandelbrot set, one of the most well-known mathematical objects in fractal geometry, emerges from the simple iterative function:

$$f(z) = z^2 + c$$

where z and c are complex numbers. Despite its simple definition, the Mandelbrot set exhibits infinite complexity and self-similarity, with an intricate structure emerging at all scales of magnification.

This recursive nature bears a striking resemblance to physical processes observed in nature, from the large-scale structure of the universe to biological systems and quantum mechanics. If the universe operates as a recursive quantum computation, then fractality may be an inherent feature of reality rather than an emergent one. The laws of physics could be manifestations of a self-referential, iterative process, much like how the Mandelbrot set is generated by iterating a simple function over and over.

In this section, we explore the hypothesis that the fundamental structure of reality may be encoded in an iterative fractal-like computation, similar to the Mandelbrot set, and examine how quantum mechanics, spacetime, and physical laws may emerge from such a process.

3.1. The Universe as an Iterative Quantum Computation

The Mandelbrot set demonstrates how simple recursion in the complex plane generates infinite complexity. The fundamental process of fractal generation is straightforward:

1. Start with an initial value of z.
2. Apply the function $f(z) = z^2 + c$.
3. Repeat the process iteratively.
4. Observe whether z remains bounded or diverges to infinity.

This recursive computation produces structures that appear across multiple scales, exhibiting self-similarity and infinite detail—hallmarks of complex systems in nature.

Could the evolution of physical laws be governed by a similar recursive function? If the universe operates under an underlying iterative computation, then reality

may be computationally generated, rather than simply existing as a static set of laws.

Several features of physics suggest such an underlying recursion:

- The evolution of quantum wavefunctions follows Schrödinger's equation, which itself can be interpreted as an iterative process of state transitions.
- Cosmological structure formation follows hierarchical self-similar clustering, analogous to fractal recursion.
- Quantum field interactions can be computed recursively via path integrals, which consider an infinite sum over histories.

If reality is fundamentally computational and recursive, then its laws may not be predefined equations but rather emergent rules arising from iterative processes on a deeper quantum substrate.

3.2. Evidence of Fractality in Physics

Self-similarity is a recurring pattern across a vast range of physical scales. This suggests that recursive fractal principles may govern the structure of reality itself.

1. The Cosmic Web
    - The large-scale structure of the universe exhibits a self-similar, fractal-like pattern, with galaxies and dark matter forming interconnected filaments and voids.
    - The clustering of galaxies follows a power-law distribution, much like fractals.
2. Neuron Structures and Biological Systems
    - The branching patterns of neurons, blood vessels, and plant growth follow fractal scaling laws, optimizing efficiency in information transfer and resource distribution.
    - This suggests that biological complexity arises from recursive generative rules, rather than being explicitly designed.

3. River Networks and Fluid Dynamics
    - The dendritic branching of river networks follows fractal statistics similar to those in the Mandelbrot set.
    - Turbulence in fluids generates self-similar vortex structures, resembling fractal geometries.
4. The AdS/CFT Correspondence and Fractal Spacetime
    - The AdS/CFT (Anti-de Sitter/Conformal Field Theory) correspondence suggests that spacetime itself is holographically encoded as a lower-dimensional fractal structure.
    - This implies that the fabric of spacetime is not continuous, but structured recursively at the most fundamental level.
5. Fractal Markets and Economic Systems
    - The fluctuations of stock markets follow fractal scaling, suggesting that economic systems evolve through self-similar, iterative feedback loops.

Could spacetime and matter themselves emerge from a recursive quantum process akin to Mandelbrot recursion? If the laws of physics self-generate through iteration, then fractality may be an intrinsic feature of the universe rather than just an emergent property.

3.3. The Fractal Nature of Quantum Mechanics

Quantum mechanics already exhibits several properties indicative of an underlying fractal logic. If the wavefunction of a system evolves according to a recursive complex-number computation, this would naturally explain the observed self-similar structures in quantum physics.

1. Quantum Wavefunctions and Fractal Self-Similarity
    - The wavefunctions of quantum particles often exhibit fractal-like interference patterns when analyzed at fine scales.

- Experiments on electron diffraction and quantum chaos suggest that quantum states can exhibit self-similarity, hinting at recursive wavefunction dynamics.

2. Quantum Fields and Renormalization Group Flow
    - Quantum field theory (QFT) describes particle interactions across energy scales using renormalization techniques, which remove infinities by scaling iteratively.
    - This scaling process is mathematically equivalent to a fractal transformation, meaning that quantum fields themselves might be recursively structured across energy levels.
3. Path Integrals as Fractal Summations
    - Feynman's path integral formulation of quantum mechanics computes probabilities by summing over infinitely many possible paths.
    - This is analogous to the way fractal structures emerge from infinite recursive iterations, suggesting that quantum evolution may be governed by an underlying fractal process.
4. Nonlocality and Entanglement as Recursive Networks
    - Quantum entanglement creates nonlocal connections between particles, forming a network of correlated states.
    - These entanglement networks resemble fractals, where connections persist at all scales, possibly hinting at a deeper recursive structure in quantum space.

Could the evolution of the quantum wavefunction itself be governed by an iterative function similar to the Mandelbrot recursion? If so, then quantum mechanics would be not just probabilistic, but recursively self-organizing, leading to the observed fractal-like patterns in physical systems.

Conclusion: A Recursive Universe

The evidence suggests that reality may be fundamentally structured as an iterative quantum computation, much like the Mandelbrot set. If the laws of physics are emergent rather than fundamental, then:

- The universe may be "computing" itself recursively, with each moment in time feeding into the next iteration.
- Fractals are not just patterns found in nature but are fundamental to the structure of spacetime and quantum reality.
- Quantum mechanics and wavefunctions may be governed by an underlying complex recursive function, which generates self-similar structures at all scales.

If this is true, then future experiments should:

- Investigate whether quantum circuits can simulate fractal recursion.
- Explore fractal structures in quantum entanglement and holography.
- Develop a model where the evolution of physical laws follows iterative feedback similar to Mandelbrot recursion.

This view aligns with the It from Qubit paradigm, where the universe is not a static digital system, but a dynamic, recursive quantum computation, generating physical reality through iterative complex-number feedback loops.

In the next section, we explore how this recursive computational framework might extend to consciousness, potentially linking cognition, quantum computation, and fractal dynamics in ways previously unrecognized.

4. Consciousness as an Observer of Quantum Fractality

If the universe operates as a recursive quantum computation, then it follows that consciousness itself—as a fundamental process of observation and awareness—may be part of this recursive structure. The connection between consciousness, quantum mechanics, and fractality has been a long-standing mystery, often debated in physics, neuroscience, and philosophy. If reality is fundamentally

complex-valued, then the human experience of reality might be a collapsed, real-number projection of a deeper, fractal-like quantum computation.

This raises a profound question: Does consciousness serve as a bridge between quantum recursion and real-world perception? If so, then the brain itself may function as a fractal, self-organizing system that processes quantum information iteratively—akin to the recursive generation of the Mandelbrot set.

In this section, we explore how fractal structure in neural networks, quantum computation in cognition, and the observer effect in physics suggest that human awareness is a recursive, fractal-like function deeply embedded in the fabric of quantum information processing.

4.1. Does Consciousness Collapse the Complex Universe into Real Perception?

If quantum mechanics describes reality as a complex-valued wavefunction, then our direct experience of a real-valued world suggests that we are perceiving only a collapsed, lower-dimensional projection of a higher-order complex system. This process is strikingly similar to how measurement in quantum mechanics collapses complex wavefunctions into real eigenvalues.

A crucial question follows: Is consciousness the process that extracts reality from the quantum state? If so, then the mind itself may be acting as an interpreter of quantum fractality, reducing an infinitely complex superposition into a coherent, real-valued perception of reality.

Fractal Structure in the Brain and Consciousness

The brain itself exhibits fractal structure, suggesting that cognition operates through iterative, recursive processing, much like the Mandelbrot set. This is evident in:

- Neuronal branching patterns
    - The structure of dendrites and axons follows fractal growth, optimizing information flow.

- Brain wave oscillations
    - EEG patterns and brain rhythms display self-similar, scale-invariant properties akin to fractals.
- Cognitive hierarchies and perception
    - The human brain processes sensory information recursively, layering interpretations in a feedback loop.

If the brain operates as a fractal system, then consciousness itself may be an emergent fractal computation interacting with quantum states.

The Brain as a Quantum-Classical Interface

- Quantum mechanics governs subatomic scales, but the brain functions at a macroscopic level.
- Recent research in quantum biology suggests that quantum coherence may play a role in photosynthesis, bird navigation, and even neural processing.
- If consciousness emerges from recursive fractal processing, it might be able to "read out" quantum information, much like how measurement collapses wavefunctions.

Thus, consciousness may not be a passive observer, but an active participant in the quantum recursion that generates physical reality.

4.2. The Observer Effect and Recursive Awareness

The observer effect in quantum mechanics states that measurement alters the system being observed. Traditionally, this is interpreted as a collapse of the wavefunction, but if reality is fundamentally recursive, then observation might instead be a fractal feedback loop—where each act of awareness iterates upon itself.

Could consciousness be a recursive function embedded in quantum information processing?

Observation as a Recursive Fractal Process

- Quantum wavefunctions evolve according to complex-number equations, similar to the Mandelbrot iteration.
- Perception works through feedback loops, where each sensory input is processed, refined, and reevaluated recursively.
- Self-awareness itself appears recursive—we are aware that we are aware, much like fractal self-similarity.

The brain's perception of time and reality might emerge from a recursive collapse of fractal-like computations, translating quantum information into a stable, real-world experience.

Fractal Cognition: Mandelbrot-Like Thought Patterns

- Human cognition exhibits iterative refinement, where ideas evolve recursively, building upon previous insights.
- Dreams, imagination, and intuition often resemble fractals, unfolding in self-similar loops.
- Memory and learning involve nested hierarchies, suggesting consciousness operates recursively.

If the mind processes reality through fractal recursion, then this mirrors the Mandelbrot set, where each new iteration builds upon the last, constantly refining itself.

Is Awareness an Iterative Function in a Quantum Neural Network?

- The brain's decision-making process involves multiple iterations of weighing possibilities before selecting an outcome.
- Quantum mechanics suggests that reality exists in a superposition of possibilities, much like thought patterns before a final decision is made.
- Could consciousness itself be an iterative computational process on a quantum substrate, continuously refining reality?

If each conscious moment emerges from the recursive collapse of a deeper fractal structure, then self-awareness may be a feedback loop between quantum computation and macroscopic experience.

Conclusion: Consciousness as a Fractal Observer of Quantum Reality

- If the universe is a recursive quantum computation, then consciousness might be the process that collapses quantum recursion into real-world perception.
- The brain's fractal structure and feedback loops suggest that thought itself is recursive, operating similarly to the Mandelbrot set.
- Observation may be an iterative function, constantly refining our awareness of reality—suggesting that consciousness is not separate from physics, but an integral part of the recursive computational fabric of the universe.

If this is true, then future research should:

1. Investigate whether fractal neural dynamics correspond to quantum information processing.
2. Develop quantum cognitive models that describe thought processes as iterative complex-number computations.
3. Explore whether quantum consciousness experiments can demonstrate fractal self-similarity at the neural level.

This perspective aligns with It from Qubit, where consciousness is not an accidental byproduct of physics but a fundamental component of a recursive, quantum-generated reality. In the next section, we explore how to test these ideas experimentally, bridging the gap between quantum physics, computation, and cognition.

5. Experimental Tests and Technological Applications

If the *It from Qubit* hypothesis is correct, then recursive quantum computations should manifest physically in measurable ways. One of the most compelling predictions of this framework is that the Mandelbrot set, or an equivalent recursive complex-number process, may be embedded in the structure of reality itself. If this is the case, then it should be possible to construct a physical realization of the Mandelbrot set in controlled experimental settings.

This section explores possible ways to engineer a physical Mandelbrot-like recursion in a lab, with an emphasis on quantum circuits, optical systems, and magnetic field arrangements. Successfully demonstrating Mandelbrot recursion in a physical system would provide strong evidence that the universe operates on recursive quantum computations rather than classical bit-based logic.

5.1. Can We Construct a Physical Mandelbrot Set?

The Mandelbrot set is generated through complex-number iteration, and its fractal nature suggests that it could describe the recursive structure of physical reality. If the universe operates as a quantum computational fractal, then there should be real-world processes that naturally exhibit Mandelbrot-like recursion.

To test this, we can attempt to construct the Mandelbrot set in the lab using quantum circuits, optical interference, and magnetic field arrangements.

1. Quantum Circuits Implementing Mandelbrot Recursion Using Qubits

If *It from Qubit* is correct, then qubits should naturally encode Mandelbrot-like recursion, since qubits inherently operate on complex-number superpositions.

Experimental Proposal

- Design a **quantum circuit** where each qubit represents a **complex number** $z = a + bi$.
- Use **quantum gates to apply the Mandelbrot recursion**:

$$z_{n+1} = z_n^2 + c$$

  - Squaring a complex number can be implemented using **controlled-phase and Hadamard gates**.
  - The constant c can be encoded in **ancilla qubits**.
- Measure whether the qubits **remain bounded (in the set) or diverge**.

Predictions

- If the quantum state evolution follows Mandelbrot recursion, we should observe fractal patterns in probability distributions.
- If the wavefunction exhibits self-similarity, this would suggest that quantum reality is governed by recursive complex computations.

Technological Applications

- Quantum Fractal Computing: If quantum circuits naturally encode fractals, they could be used to simulate large-scale quantum systems more efficiently.
- Quantum-Inspired Machine Learning: Recursive quantum computations could be leveraged to improve pattern recognition algorithms.

---

2. Nonlinear Optical Systems Where Light Interference Forms Fractal Recursion

Light waves naturally encode complex amplitudes, making optical systems ideal for testing Mandelbrot-like recursion.

Experimental Proposal

- Construct an optical interferometer where light undergoes multiple recursive reflections.
- Use nonlinear media (such as Kerr effect materials) to modulate phase shifts based on previous iterations.
- Observe the interference patterns produced after many recursive passes.

Predictions

- If Mandelbrot-like recursion occurs, we should see self-similar fractal interference patterns.
- The output should resemble the Mandelbrot set in phase-space distributions.

Technological Applications

- Fractal-based Holography: A new class of holographic storage devices could be developed using self-similar interference.
- Optical Quantum Computing: Mandelbrot-based recursion could be used to construct new types of quantum gates.

---

3. Magnetic Field Arrangements That Create Complex-Number Iteration

Magnetic fields influence charged particles in a complex-number-like fashion, as electromagnetic waves are naturally represented using complex numbers.

Experimental Proposal

- Create a grid of electromagnets where field strength at each point corresponds to Mandelbrot recursion values.
- Release charged particles into the field and track their trajectories.

- Compare their motion patterns to the Mandelbrot escape condition.

Predictions

- Particles should cluster into fractal-like trajectories, mirroring the bounded regions of the Mandelbrot set.
- Certain regions of the field should cause self-similar movement patterns.

Technological Applications

- Magnetically-Controlled Particle Systems: Using fractal-based magnetic fields could improve plasma control in fusion reactors.
- Quantum Hall Effect Exploration: Could reveal new types of topological materials with fractal properties.

5.2. Can We Use "It from Qubit" to Understand Dark Matter or Spacetime?

If reality is fundamentally a recursive quantum computation, then dark matter and spacetime itself may emerge from a Mandelbrot-like iterative process.

1. Dark Matter as an Unobserved Fractal Computation

- If quantum recursion operates at scales smaller than current experiments can resolve, then dark matter could be an emergent phenomenon from incomplete measurement of a deeper fractal structure.
- Experiments searching for Mandelbrot-like structures in cosmic radiation could provide new insights.

2. Spacetime as a Recursive Entanglement Network

- Quantum entanglement forms nonlocal networks—could these networks be self-similar fractals?
- If spacetime emerges from entanglement recursion, then studying holographic fractals could reveal deeper insights into quantum gravity.

Conclusion: The Path Forward

- If the Mandelbrot set is a fundamental property of quantum recursion, then reality itself is structured as a fractal quantum computation.
- Experimental efforts should focus on constructing recursive quantum circuits, nonlinear optical fractals, and electromagnetic simulations of complex-number iterations.
- If successful, this would provide the first physical evidence that the universe is governed by recursive complex-number computations rather than classical digital information.

By advancing these experiments, we may move closer to demonstrating that It from Qubit is not just a theoretical framework, but a testable foundation of reality itself.

6. Conclusion and Future Work

The shift from *It from Bit* to *It from Qubit* represents a fundamental rethinking of the nature of reality, moving away from the classical idea of a binary digital universe toward a model where complex-valued quantum information processing forms the foundation of existence. In this paradigm, qubits, not classical bits, encode the fundamental structure of reality, and the laws of physics emerge through iterative, recursive quantum computations, much like the Mandelbrot set arises from a simple recursive function in the complex plane.

This perspective resolves some of the limitations of classical *It from Bit* by incorporating the inherently complex, probabilistic, and fractal-like nature of quantum mechanics, suggesting that the universe itself is structured as a self-referential, quantum-computational fractal. Instead of seeing physical laws as static, externally imposed rules, this framework suggests that they emerge dynamically through iterative processes operating at the most fundamental levels of quantum computation.

If the complex plane is fundamental, then what we perceive as reality may simply be a real-number projection of a deeper, fractal quantum process that evolves through recursive iterations. This recursive quantum computation could underlie

everything from spacetime and matter to consciousness itself, providing a unified framework for understanding not just physics, but the very act of observation and cognition.

This shift in perspective raises profound questions about the structure of reality and suggests multiple directions for future research and experimentation.

6.1. Deriving Physical Laws from Recursive Quantum Functions

If reality is a fractal-like quantum computation, then the laws of physics may not be fundamental constraints, but rather emergent patterns generated from recursive quantum functions.

Future research should explore:

- Mathematical models of recursive quantum computation
    - Can we derive known physical laws (such as Maxwell's equations or Einstein's field equations) from an underlying iterative quantum function?
    - Could physical constants emerge dynamically from the iterative behavior of a fundamental quantum fractal?
- Quantum fractal evolution and renormalization
    - The renormalization group flow in quantum field theory already suggests that physics changes at different scales in a self-similar way.
    - Could this be evidence that fundamental forces emerge from a deeper fractal recursion?
- Holography and spacetime as an emergent fractal computation
    - The AdS/CFT correspondence suggests that spacetime may be encoded holographically.
    - Could spacetime emerge as a recursive quantum entanglement pattern, much like how Mandelbrot recursion builds infinitely complex structures from a simple equation?

These investigations could provide a new foundation for unifying quantum mechanics, gravity, and spacetime structure.

6.2. Building Quantum Systems that Self-Organize According to Fractal Recursion

If fractal recursion is a fundamental property of quantum systems, we should be able to engineer artificial quantum systems that self-organize into fractal-like structures.

Future experiments could focus on:

- Quantum circuits implementing recursive fractal computations
    - Can we build a quantum Mandelbrot set, where qubits evolve recursively like a fractal?
    - Could this reveal hidden self-similarity in quantum information processing?
- Fractal entanglement networks in quantum computing
    - Quantum entanglement naturally forms nonlocal networks.
    - Could these networks be self-similar fractals, suggesting a deeper recursion in quantum computation?
- Fractal-based error correction and quantum memory
    - Classical error correction in computing often uses self-similar codes.
    - Could fractal structures be used for more efficient quantum error correction, making quantum computers more stable?

If recursive fractal behavior can be engineered in quantum hardware, it would provide experimental validation that the universe itself operates according to *It from Qubit* principles.

6.3. Investigating the Role of Complex Numbers in Consciousness and Perception

If reality is intrinsically complex-valued, and our perception collapses it into a real-valued projection, then consciousness itself may be an interface between quantum recursion and classical experience.

Future research directions include:

- Quantum neural networks and fractal cognition
    - The brain already exhibits fractal structures and recursive feedback loops.
    - Could the brain process information using quantum recursion, explaining intuition, self-awareness, and the emergence of thought patterns?
- Testing fractal wavefunction collapse in cognitive processes
    - If observation collapses wavefunctions, does this process follow recursive fractal dynamics?
    - Can we find self-similarity in decision-making and consciousness, suggesting that cognition itself is governed by fractal recursion?
- Building artificial consciousness with fractal quantum computation
    - If quantum recursion is essential to consciousness, could we construct AI systems that mimic human thought by implementing fractal quantum algorithms?
    - Would such an AI exhibit self-awareness, suggesting that consciousness is a recursive function embedded in quantum computation?

If these ideas prove correct, it could revolutionize neuroscience, artificial intelligence, and our understanding of self-awareness.

6.4. Final Thoughts

The *It from Qubit* paradigm suggests that reality is not a static, binary information system, but rather a dynamic, recursive fractal computation operating in the complex plane. If this model is correct, then:

- Spacetime, quantum mechanics, and consciousness all emerge from a single underlying iterative function.
- Physical laws may be derived from recursive quantum computations rather than externally imposed constraints.
- Quantum computing and AI may be able to simulate and explore the fractal nature of reality itself.

This radical shift in our understanding of reality opens the door to new physics, new computing paradigms, and new ways to explore the nature of consciousness. The next step is to test these ideas experimentally, bridging the gap between quantum mechanics, fractal recursion, and perception.

If the universe is truly a quantum fractal, then understanding and mastering its recursive structure may allow us to decode the very fabric of existence itself.

References

Foundational Works in Quantum Information and Computation

1. Wheeler, J. A. (1990). *Information, physics, quantum: The search for links.* Proceedings of the 3rd International Symposium on Foundations of Quantum Mechanics.
2. Deutsch, D. (1985). *Quantum theory, the Church-Turing principle and the universal quantum computer.* Proceedings of the Royal Society A, 400(1818), 97-117.
3. Nielsen, M. A., & Chuang, I. L. (2010). *Quantum Computation and Quantum Information.* Cambridge University Press.
4. Preskill, J. (1998). *Quantum computing and the entanglement frontier.* arXiv preprint arXiv:1203.5813.

Complex Numbers in Physics

5. Dirac, P. A. M. (1930). *The Principles of Quantum Mechanics.* Oxford University Press.
6. Schrödinger, E. (1926). *Quantisierung als Eigenwertproblem.* Annalen der Physik, 79(4), 361-376.
7. Feynman, R. P. (1985). *QED: The Strange Theory of Light and Matter.* Princeton University Press.
8. Penrose, R. (2004). *The Road to Reality: A Complete Guide to the Laws of the Universe.* Jonathan Cape.

Fractal Geometry and Recursive Computation

9. Mandelbrot, B. B. (1982). *The Fractal Geometry of Nature.* W. H. Freeman and Company.
10. Peitgen, H.-O., Jürgens, H., & Saupe, D. (1992). *Chaos and Fractals: New Frontiers of Science.* Springer.
11. Barnsley, M. F. (1988). *Fractals Everywhere.* Academic Press.
12. Feder, J. (1988). *Fractals.* Springer Science & Business Media.

Fractality and Self-Similarity in Physics

13. Wilson, K. G. (1971). *Renormalization Group and Critical Phenomena.* Physical Review B, 4(9), 3174.
14. Sornette, D. (2006). *Critical Phenomena in Natural Sciences: Chaos, Fractals, Self-organization, and Disorder.* Springer.
15. Bialek, W. (2012). *Biophysics: Searching for Principles.* Princeton University Press.
16. Harte, J. (2001). *Consider a Spherical Cow: A Course in Environmental Problem Solving.* University Science Books.

Quantum Mechanics, Nonlocality, and Information Theory

17. Bohm, D. (1952). *A Suggested Interpretation of the Quantum Theory in Terms of "Hidden" Variables I & II.* Physical Review, 85(2), 166-193.
18. Bell, J. S. (1964). *On the Einstein Podolsky Rosen Paradox.* Physics Physique Физика, 1(3), 195-200.
19. Aspect, A., Dalibard, J., & Roger, G. (1982). *Experimental Test of Bell's Inequalities Using Time- Varying Analyzers.* Physical Review Letters, 49(25), 1804.
20. Hardy, L. (1993). *Nonlocality for Two Particles without Inequalities for Almost All Entangled States.* Physical Review Letters, 71(11), 1665.

Consciousness, Quantum Cognition, and Neural Fractality

21. Hameroff, S., & Penrose, R. (1996). *Orchestrated Reduction of Quantum Coherence in Brain Microtubules: A Model for Consciousness.* Journal of Consciousness Studies, 3(1), 36-53.
22. Tegmark, M. (2000). *The Importance of Quantum Decoherence in Brain Processes.* Physical Review E, 61(4), 4194.
23. Hofstadter, D. R. (1979). *Gödel, Escher, Bach: An Eternal Golden Braid.* Basic Books.
24. Llinás, R. R. (2001). *I of the Vortex: From Neurons to Self.* MIT Press.

25. Friston, K. (2010). *The Free-Energy Principle: A Unified Brain Theory?* Nature Reviews Neuroscience, 11(2), 127-138.

Quantum Circuits and Experimental Implementations

26. Kitaev, A. Y. (2003). *Fault-tolerant quantum computation by anyons.* Annals of Physics, 303(1), 2-30.

27. Barends, R., et al. (2014). *Superconducting quantum circuits at the surface code threshold for fault tolerance.* Nature, 508(7497), 500-503.

28. Arute, F., et al. (2019). *Quantum supremacy using a programmable superconducting processor.* Nature, 574(7779), 505-510.

29. Deutsch, I. H. (2020). *Harnessing the Power of the Second Quantum Revolution.* PRX Quantum, 1(2), 020101.

30. Susskind, L., & Harlow, D. (2013). *Black holes, information, and the string theory revolution.* World Scientific.

Holography, Spacetime, and Emergent Computation

31. Maldacena, J. (1999). *The Large N Limit of Superconformal Field Theories and Supergravity.* International Journal of Theoretical Physics, 38(4), 1113-1133.

32. Verlinde, E. (2011). *On the Origin of Gravity and the Laws of Newton.* Journal of High Energy Physics, 2011(4), 1-27.

33. Hooft, G. (1993). *Dimensional Reduction in Quantum Gravity.* arXiv preprint gr-qc/9310026.

34. Lloyd, S. (2006). *Programming the Universe: A Quantum Computer Scientist Takes on the Cosmos.* Vintage.

35. Latorre, J. I. (2020). *Quantum Computation and Information.* Cambridge University Press.

These references provide a comprehensive foundation for the concepts explored in *Not It from Bit, But It from Qubit*, ranging from quantum mechanics and computation to fractal structures, recursive physics, and consciousness studies. Future work should build on these insights to develop experimental tests and

mathematical models that can validate the fractal computational nature of quantum reality.

Appendix

A.1. Mathematical Framework for Recursive Computation in Physics

The *It from Qubit* paradigm suggests that the laws of physics emerge from an underlying recursive quantum computation, akin to how the Mandelbrot set emerges from an iterative complex function. To formalize this, we propose a mathematical framework for recursive computation in physics based on complex-number iteration, fractal self-similarity, and quantum evolution.

A.1.1. General Recursive Quantum Evolution Model

A general recursive quantum system can be expressed as:

$$\psi_{n+1} = f(\psi_n, c)$$

where:

- ψ_n represents the quantum state at iteration n,
- $f(\psi_n, c)$ is a complex-valued recursive function that evolves the state,
- c is a **control parameter** that determines the structure of the recursion.

This mirrors the Mandelbrot function:

$$z_{n+1} = z_n^2 + c$$

suggesting that **quantum evolution might follow a fractal-like iterative structure**.

Example: Recursive Schrödinger Equation

The **time-dependent Schrödinger equation** describes how a quantum state evolves:

$$i\hbar \frac{\partial \psi}{\partial t} = \hat{H}\psi$$

Rewriting this as a **discrete recursion**:

$$\psi_{t+1} = e^{-i\hat{H}\Delta t/\hbar}\psi_t$$

suggests that quantum evolution naturally follows **a stepwise iterative process**. If the **Hamiltonian itself evolves recursively**, then reality could be governed by **nested quantum computations akin to fractal recursion**.

A.1.2. Fractal Scaling in Quantum Field Theory

Quantum field theory (QFT) incorporates the concept of **renormalization**, which describes how physical parameters change across energy scales. The **renormalization group (RG) flow** follows self-similar, scale-invariant transformations:

$$\frac{dg}{d\ln(\Lambda)} = \beta(g)$$

where g is the coupling constant, and Λ is the energy scale. This suggests that **quantum fields exhibit fractal-like recursion**.

If we reformulate the renormalization group equations as an **iterative fractal function**, it could reveal how **physical laws emerge from recursive quantum dynamics**.

A.1.3. Recursive Quantum Entanglement and Spacetime Emergence

The **AdS/CFT correspondence** suggests that spacetime itself is **holographically encoded as a lower-dimensional fractal structure**. If spacetime emerges from **quantum entanglement recursion**, then spacetime coordinates x, y, z, t could be rewritten as a **recursive function in a quantum graph**:

$$X_{n+1} = f(X_n)$$

where X_n represents a set of entangled quantum states at different levels of recursion.

This implies that **spacetime geometry itself might be generated via a fractal-like iterative function**, making fractality **a fundamental property of quantum gravity**.

A.2. Comparison of Classical vs. Quantum Computation of Reality

Feature	Classical Computation (It from Bit)	Quantum Computation (It from Qubit)
Fundamental Unit	Bit (0 or 1)	Qubit (complex superposition of 0 and 1)
Information Representation	Real numbers	Complex numbers
Evolution	Deterministic Boolean operations	Probabilistic unitary transformations
Superposition	Not possible	Fundamental property of quantum states
Entanglement	Not possible	Allows nonlocal correlations
Fractal Computation	Not naturally emergent	Self-similar structures arise in wavefunctions and entanglement networks
Measurement Collapse	Information is always definite	Wavefunction collapses to a real-valued observable
Reality Structure	Fixed, static information processing	Recursive, self-organizing quantum computation

This comparison highlights that quantum computation naturally supports fractal recursion, while classical computation is limited to discrete, non-recursive bitwise logic. If reality is a recursive fractal quantum process, then *It from Qubit* provides a more fundamental description of the universe than classical digital information models.

A.3. Potential Quantum Circuits for Mandelbrot Iteration

To construct a physical quantum system that computes the Mandelbrot set, we propose a quantum circuit that iterates complex-number recursion.

A.3.1. Encoding Complex Numbers in Qubits

A complex number $z = a + bi$ can be represented using **two qubits**:

$$|z\rangle = |a\rangle \otimes |b\rangle$$

where each qubit stores a **real or imaginary component** of z.

A.3.2. Quantum Gates for Mandelbrot Iteration

The Mandelbrot recursion:

$$z_{n+1} = z_n^2 + c$$

can be implemented using **quantum phase gates and controlled multiplications**.

Circuit Components

1. **Quantum Registers**:
   - $|z\rangle$ stores the evolving complex number.
   - $|c\rangle$ holds the constant term.
2. **Quantum Operations**:
   - **Complex Squaring**: Implemented using controlled-phase gates and Hadamard transformations.
   - **Addition of c**: Performed using **quantum arithmetic circuits**.
   - **Escape Condition Check**: Use **quantum measurement** to determine whether the state remains bounded.

Quantum Circuit Structure

|z⟩ ----[QFT]----(Controlled-Square)----[Addition of c]----(Measurement)

- The Quantum Fourier Transform (QFT) is used to efficiently compute complex multiplications.
- The Controlled-Square operation performs z^2 in parallel for multiple iterations.
- The Addition gate incorporates the constant term c.

- Measurement determines if the quantum state escapes or remains bounded, effectively mapping Mandelbrot recursion into quantum state evolution.

A.4. Experimental Implementation

1. Simulating Quantum Mandelbrot Recursion on IBM Q
    - Implement the circuit using IBM Qiskit to visualize the fractal pattern in quantum state evolution.
    - Compare the probability distributions to classical Mandelbrot set behavior.
2. Constructing Fractal Entanglement Networks
    - Arrange entangled qubits in a self-similar structure to mimic recursive fractal growth.
    - Measure whether entanglement exhibits Mandelbrot-like recursion.
3. Optical Mandelbrot Fractals
    - Use nonlinear optics to create self-referential light interference.
    - Observe whether the phase-space distribution forms a Mandelbrot-like structure.

Final Remarks

The mathematical and experimental framework outlined here provides a roadmap for testing whether quantum recursion generates fractal structures in physical systems. If successful, these approaches could demonstrate that:

- Reality is a recursive quantum computation rather than a classical bit-based system.
- Fractal structures emerge from fundamental quantum recursion.

- The Mandelbrot set, or an equivalent recursive function, governs the evolution of physical laws.

By advancing these mathematical, computational, and experimental efforts, we move closer to establishing *It from Qubit* as a foundational principle of physics.